

LOCAL HEALTH DEPARTMENTS

POVERTY ESTIMATES FOR 2000				2003 FEMALE GAIN		2002 HEALTH DEPARTMENT		
Total 2003 Population		10,100		Community Options and MA Waiver as HSRS reports costs for services		Per 10,000		
Population per square mile		10				Staffing - FTE		
County ranking in state (1-72)		70				Total staff		
						Number		
Age	Female	Male	Total	COP	Clients	Costs	Population	
0-14	940	930	1,860	MA Waiver *	8	\$80,739		
15-19	370	440	800	CIP1A	4	\$163,101	6.5	
20-24	260	320	580	CIP1B	33	\$840,061	1.0	
25-29	210	230	440	CIP2	14	\$168,596		
30-34	260	250	500	COP-W	47	\$293,665		
35-39	300	320	620	CSLA	5	\$22,292		
40-44	350	360	710	Brain Injury	0	\$0		
45-54	670	680	1,350	Total COP/Wvrs	111	\$1,487,715		
55-64	630	620	1,250	\$73,743 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.				
65-74	540	550	1,110	* Waiver costs reported here include federal funding.				
75-84	360	260	620		Clients	Costs		
85+	170	80	250	Eligible and				
Total	5,050	5,040	10,100	Waiting	11	n/a		
				(Family Care not provided in county)				
Poverty Estimates for 2000				Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.				
Estimate		(C.I. +/-)						
All ages	1,313	87						
	13.1%	(7%)						
Ages 0-17	475	39						
	18.7%	(8%)						
----- EMPLOYMENT -----				----- LICENSED ESTABLISHMENTS -----				
Average wage for jobs covered by unemployment compensation (place of work)		\$22,988		Home Health Agencies		0		
		Annual		Patients		48		
		Average		Patients per 10,000 pop.		48		
Labor Force Estimates				Nursing Homes		2		
Civilian Labor Force		5,122		Licensed beds		143		
Number employed		4,764		Occupancy rate		88.8%		
Number unemployed		358		Residents on Dec. 31		135		
Unemployment rate		7.0%		Residents age 65 or older per 1,000 population		65		
				----- WIC PARTICIPANTS -----				
							Number	
				Pregnant/Postpartum			170	
				Infants			178	
				Children, age 1-4			258	
				Total			606	
				----- CANCER INCIDENCE (2002) -----				
				Primary Site				
				Breast			12	
				Cervical			0	
				Colorectal			9	
				Lung and Bronchus			14	
				Prostate			13	
				Other sites			16	
				Total			64	
				Note: Totals shown are for invasive cancers only.				

NATALITY

TOTAL LIVE BIRTHS	122	Birth Order	Births	Percent	Marital Status of Mother	Births	Percent
Crude Live Birth Rate	12.1	First	43	35	Married	68	56
General Fertility Rate	70.0	Second	35	29	Not married	54	44
Live births with reported congenital anomalies	2 1.6%	Third	22	18	Unknown	0	0
		Fourth or higher	22	18			
		Unknown	0	0			
Delivery Type	Births Percent	1st Prenatal Visit	Births	Percent	Education of Mother	Births	Percent
Vaginal after previous cesarean	5 4	1st trimester	110	90	Elementary or less	1	1
Forceps	0 0	2nd trimester	11	9	Some high school	27	22
Other vaginal	93 76	3rd trimester	1	1	High school	54	44
Primary cesarean	19 16	No visits	0	0	Some college	26	21
Repeat cesarean	5 4	Unknown	0	0	College graduate	14	11
					Unknown	0	0
Birthweight	Births Percent	Prenatal Visits	Births	Percent	Smoking Status of Mother	Births	Percent
<1,500 gm	2 1.6	No visits	0	0	Smoker	40	33
1,500-2,499 gm	4 3.3	1-4	4	3	Nonsmoker	82	67
2,500+ gm	116 95.1	5-9	24	20	Unknown	0	0
Unknown	0 0	10-12	46	38			
		13+	48	39			
		Unknown	0	0			
Race/Ethnicity	Births Percent	Low Birthweight (under 2,500 gm)	1st Trimester Births Percent	2nd Trimester Births Percent	Other/Unknown Births Percent		
White	95 78	Births Percent	Births Percent	Births Percent	Births Percent		
Black/Afr. American	0 0	3 3.2	87 92	8 8	. .		
American Indian	23 19		
Hispanic/Latino	3 2	1 4.3	20 87	2 9	1 4		
Laotian/Hmong	0 0	* .	* .	* .	* .		
Other/Unknown	1 1	* .	* .	* .	* .		
Age of Mother	Births Fertility Rate	Low Birthweight (under 2,500 gm)	1st Trimester Births Percent	2nd Trimester Births Percent	Other/Unknown Births Percent		
<15	1 --	Births Percent	Births Percent	Births Percent	Births Percent		
15-17	2 9	* .	* .	* .	* .		
18-19	13 89	* .	* .	* .	* .		
20-24	41 158	2 15.4	13 100		
25-29	31 148	1 2.4	33 80	7 17	1 2		
30-34	25 97	1 3.2	28 90	3 10	. .		
35-39	8 27	1 4.0	25 100		
40+	1 3	1 12.5	8 100		
Unknown	0 --	* .	* .	* .	* .		
Teenage Births	16 44		

* Data not reported if age or race category has less than 5 births.

----- MORBIDITY -----		----- MORTALITY -----			
REPORTED CASES OF SELECTED DISEASES*		Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.			
Disease	Number	TOTAL DEATHS		109	Selected
Campylobacter Enteritis	<5	Crude Death Rate		1,080	Underlying Cause
Giardiasis	0				Deaths
Hepatitis Type A	0				Rate
Hepatitis Type B**	0	Age	Deaths	Rate	Heart Disease (total)
Hepatitis NANB/C	13	1-4	.	.	Ischemic heart disease
Legionnaires	0	5-14	.	.	Cancer (total)
Lyme	0	15-19	.	.	Trachea/Bronchus/Lung
Measles	0	20-34	.	.	Colorectal
Meningitis, Aseptic	0	35-54	10	.	Female Breast
Meningitis, Bacterial	0	55-64	15	.	Cerebrovascular Disease
Mumps	0	65-74	19	.	Lower Resp. Disease
Pertussis	0	75-84	28	4,519	Pneumonia & Influenza
Salmonellosis	<5	85+	37	14,587	Accidents
Shigellosis	0				Motor vehicle
Tuberculosis	0				Diabetes
		Infant			Infect./Parasitic Dis.
		Mortality	Deaths	Rate	Suicide
		Total Infant	.	.	
		Neonatal	.	.	* Based on female population.
		Postneonatal	.	.	ALCOHOL AND DRUG ABUSE AS UNDERLYING
		Unknown	.	.	OR CONTRIBUTING CAUSE OF DEATH
Sexually Transmitted Disease		Race of Mother			Alcohol
Chlamydia Trachomatis	24	White	.	.	Other Drugs
Genital Herpes	<5	Black	.	.	Both Mentioned
Gonorrhea	<5	Hispanic	.	.	* Includes tobacco use (see page 7).
Syphilis	0	Laotian/Hmong	.	.	----- MOTOR VEHICLE CRASHES -----
		Other/Unknown	.	.	Note: These data are based on location
----- IMMUNIZATIONS -----		Birthweight			of crash, not on residence.
Children in Grades K-12 by		<1,500 gm	.	.	Type of Motor
Compliance Level		1,500-2,499 gm	.	.	Vehicle Crash
Compliant	1,849	2,500+ gm	.	.	Persons
Non-compliant	30	Unknown	.	.	Injured
Percent Compliant	98.4	Perinatal			Persons
		Mortality	Deaths	Rate	Killed
		Total Perinatal	.	.	Total Crashes
		Neonatal	.	.	Alcohol-Related
		Fetal	.	.	With Citation:
					For OWI
					For Speeding
					Motorcyclist
					Bicyclist
					Pedestrian

2003 HOSPITALIZATIONS

DI SEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DI SEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All						Alcohol-Related					
Total	101	10.0	4.5	\$18,527	\$185	Total	47	4.7	4.0	\$6,101	\$28
<18	4	18-44	31	9.8	3.5	\$5,589	\$55
18-44	29	9.2	4.4	\$21,801	\$200	45-64	14
45-64	23	8.8	4.3	\$18,913	\$167	Pneumonia and Influenza					
65+	45	22.8	4.6	\$16,189	\$368	Total	59	5.8	5.0	\$12,767	\$75
Injury: Hip Fracture						<18	6
Total	15	45-64	10
65+	13	65+	41	20.7	5.3	\$12,845	\$266
Injury: Poisonings						Cerebrovascular Disease					
Total	6	Total	35	3.5	4.1	\$14,895	\$52
18-44	5	45-64	8
Psychiatric						65+	27	13.7	3.9	\$13,750	\$188
Total	63	6.2	6.8	\$8,521	\$53	Chronic Obstructive Pulmonary Disease					
<18	14	Total	37	3.7	3.8	\$9,960	\$37
18-44	34	10.8	8.9	\$9,313	\$100	<18	15
45-64	10	18-44	2
65+	5	45-64	9
Coronary Heart Disease						65+	11
Total	129	12.8	3.0	\$21,629	\$276	Drug-Related					
45-64	53	20.4	2.5	\$20,705	\$421	Total	8
65+	65	32.9	3.6	\$22,509	\$740	18-44	4
Malignant Neoplasms (Cancers): All						Total Hospitalizations					
Total	50	5.0	6.8	\$21,315	\$106	Total	1,460	144.6	3.7	\$12,509	\$1,809
18-44	3	<18	209	88.8	2.9	\$6,007	\$534
45-64	19	18-44	344	108.8	2.9	\$8,722	\$949
65+	28	14.2	6.4	\$18,987	\$269	45-64	330	126.7	4.0	\$16,317	\$2,068
Neoplasms: Female Breast (rates for female population)						65+	577	291.8	4.3	\$14,943	\$4,361
Total	2						
Neoplasms: Col o-rectal						----- PREVENTABLE HOSPITALIZATIONS* -----					
Total	10	Total	224	22.2	3.9	\$10,415	\$231
65+	8	<18	26	11.1	3.6	\$10,639	\$118
Neoplasms: Lung						18-44	24	7.6	2.0	\$5,729	\$43
Total	7	45-64	45	17.3	4.7	\$13,240	\$229
Diabetes						65+	129	65.2	4.1	\$10,256	\$669
Total	9						
65+	3						

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.